

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Anne Wasilchuk on 8/27/09.

The application has been amended as follows: In claims 13, 29, 30 and 43, lines 10-11 and in claims 26, 27, 40 and 41, lines 11-12, the phrase "the hydroxide and the nitrogen compound are each no larger than approximately 100  $\mu\text{m}$ ," has been deleted. In claims 13, 29, 30 and 43, line 16 and in claims 26, 27, 40 and 41, line 17, between "resin" and the "comma (,)", the word --composition-- has been inserted.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter Szekeley whose telephone number is (571) 272-1124. The examiner can normally be reached on 6:10 a.m.-4:40 p.m. Tuesday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon can be reached on (571) 272-1498. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Peter Szekely/  
Primary Examiner, Art Unit 1796

/P. S./  
Primary Examiner, Art Unit 1796  
8/27/09